

Design by Helena Chmelíková

PRECIOSA Rocailles

331 19 001; 10/0



*Preciosa Ornela introduces beads and seed beads
from the PRECIOSA Traditional Czech Beads™ brand.*

Preciosa-Ornela.com



BRACELET MADE OF PRECIOSA FIRE POLISHED BEADS

Sunlight reflected
from a surface

PRECIOSA

Sunlight reflected from a surface

This bracelet in the trending colors of Spring/Summer 2023 plays with the colors of the sun and the sea's surface. Choose from the wide range of colors and shapes for PRECIOSA fire polished beads and create an accessory for spring and summer days.

Materials and tools:

PRECIOSA Fire Polished Beads (FPB)

151 19 001; 6 mm (FPBt)
60110/44863 turquoise; 54x



151 19 001; 6 mm (FPBb)
20010/44836 blue; 59x



151 19 001; 6 mm (FPBo)
80120/44889 orange; 49x



PRECIOSA Imitation Pearls (IP)

131 19 001; 6 mm (IPt)
02010/30019 turquoise mother of pearl; 6x



131 19 001; 6 mm (IPr)
02010/30004 pink mother of pearl; 6x



131 19 001; 6 mm (IPO)
02010/30012 orange mother of pearl; 6x



PRECIOSA Rocaille (R)

331 19 001; 10/0 (Rg)
382PG green; 55x



331 19 001; 10/0 (Rr)
382PP pink; 55x



331 19 001; 10/0 (Ry)
382PY yellow; 55x



- a thin needle; a 0.20 mm nylon line;
sewing thread; a flexible line (Elastomer,
Opelon); scissors




Difficulty: ●●●●●

Technique: right-angle weave stitch,
stringing

Procedure:

Step 1:

First, sew the guide.
Place an **R** stop bead at the end of the line.
Thread the line through it twice.
String 39x **R** onto the line. Create six circles
one after the other. Go back, thread the line
through the **R** and add the remaining **R**.
Count off 10x **R** and thread the line through
the 10th in the opposite direction.
String 4x **R**. Count off 5x **R** and thread
the line through the 5th.
Continue in the same way 3 more times.
Tie off the end of the line. Thread the ends
through several **R** and cut them off.





Step 2:

Sew six guides. 2x using **Rg**, 2x using **Rr**
and 2x using **Ry**.



Step 3:

Prepare a needle with a large threading
loop. Cut off about 15 cm of sewing thread.
Thread it through the eye of the needle.
Tie off the ends of the threads.
Shift the knot to the side. Thread about
80 cm of flexible line through the thread
loop. Fold it in half. You can string the **FPB**
and **IP**.



Step 4:

You can mix the shades of the **FPB** and **IP**
as you wish. There are 3x 9 **FPB** in the row.
There is 1x **IP** between each guide.



The layout according to the pattern:

Row 1 – Rg guide, IPt, Rg guide, 9x FPBt, Ry guide, IPo, Ry guide, 4x FPBo, 5x FPBr, Rr guide, IPr, Rr guide, 9x FPBr

Row 2 – Rg guide, IPt, Rg guide, 9x FPBt, Ry guide, IPo, Ry guide, 2x FPBo, 7x FPBr, Rr guide, IPr, Rr guide, 9x FPBr

Row 3 – Rg guide, IPt, Rg guide, 5x FPBt, 1x FPBr, 3x FPBo, Ry guide, IPo, Ry guide, 4x FPBo, 5x FPBr, Rr guide, IPr, Rr guide, 3x FPBr, 6x FPBt

Row 4 – Rg guide, IPt, Rg guide, 4x FPBt, 1x FPBr, 4x FPBo, Ry guide, IPo, Ry guide, 6x FPBo, 3x FPBr, Rr guide, IPr, Rr guide, 5x FPBr, 4x FPBt

Row 5 – Rg guide, IPt, Rg guide, 4x FPBt, 3x FPBr, 2x FPBo, Ry guide, IPo, Ry guide, 9x FPBo, Rr guide, IPr, Rr guide, 2x FPBo, 3x FPBr, 4x FPBt

Row 6 – Rg guide, IPt, Rg guide, 3x FPBt, 3x FPBr, 3x FPBo, Ry guide, IPo, Ry guide, 9x FPBo, Rr guide, IPr, Rr guide, 1x FPBo, 2x FPBr, 6x FPBt



Step 5:

Tying.

The knot must be just right.

It must be hidden in a hole, but it must not slide out. Try tying two and two strands of the flexible line together with two knots. Hide the knots in a hole by carefully, but thoroughly pulling them into the nearest FPB. If they slip out, tie three knots. Cut off any excess flexible line behind the FPB.

